Safety Data Sheet Silicone Water Repellent

Version: V2.0.0.1 Report No.: BR-WP58 Creation Date: 2019/11/16 Revision Date: 2019/11/16

*Prepared according to EU regulation No. 2015/830

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

| Product Name | Silicone Water Repellent |
|------------------------------|--------------------------|
| Product Model | - |
| Cat No. | BR-WP58 |
| Synonyms | - |
| CAS No. | - |
| EC No. | - • R |
| Molecular Formula | |
| REACH Registration Number | |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Please consult manufacturer. |
|--------------------------|---|
| Uses advised against | P <mark>lea</mark> se consult manufacturer. |

Details of the supplier of the Safety Data Sheet

| Name of the company | |
|----------------------|-------------------------------|
| Address of the | لفو راہ حلی برای محصولات نوین |
| company Post code | www.lefu.co.com |
| | |
| Telephone number | |
| Fax number | |
| E-mail address | |

Emergency phone number

Emergency phone number

2 Hazards identification

CLP classification according to Regulation (EC) No. 1272/2008

According to Regulation (EC) No 1272/2008 and its amendments. Not classified as a dangerous substance.

Label elements

Hazard pictograms Not applicable

| | | | V | Version: V2.0.0.1 | Revision D | Date: 2019/11/16 |
|--|---------------|-----------|-------------------------------|--|-----------------------|---|
| Signal word | Not applica | ble | | | | |
| Hazard statements | | | | | | |
| Hazard statements | Not applicabl | е | | | | |
| Precautionary statemen | ts | | | | | |
| Prevention | | | | | | |
| Prevention | Not applicabl | е | | | | |
| Response | | | | | | |
| Response | Not applicabl | е | | | | |
| ♦ Storage | | | | | | |
| Storage | Not applicabl | е | | | | |
| Disposal | | | | | | |
| Disposal | Not applicabl | е | | | | |
| Other hazards | | | | | | |
| | Not applicabl | e | | | | |
| | | | | | | |
| 3 Component | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | |
| Component | Cas No. | EC No. | Index No. | Hazaro classificat according t | tion | Concentration (weight percent, %) |
| Polysiloxanes, di-Me,hydroxy-terminated | 70131-67-8 | 213-915-7 | عل <u>ی</u> برای . C O . ا | Skin Corrosion/Irrit Category 2, 1 Serious E Damage/Irrita Category 2A, | H315; ye ation, | > = 50 |

4 First aid measures

Description of first aid measures

| General advice | Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance. |
|----------------------------|---|
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Skin contact | Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. |
| Ingestion | Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. |
| Inhalation | Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately. |
| Protecting of first-aiders | Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination. |

Most important symptoms and effects, both acute and delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

5 Firefighting measures

Extinguishing media

| Suitable extinguishing media | Use extinguishing media suitable for surrounding area. |
|---------------------------------|--|
| Unsuitable extinguishing media | There is no restriction on the type of extinguisher which may be used. |

Specific hazards arising from the substance or mixture

| 1 | Containers may explode when heated. |
|---|---|
| 2 | May expansion or decompose explosively when heated or involved in fire. |

Advice for firefighters

| 1 | As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. |
|---|---|
| 2 | Fight fire from a safe distance, with adequate cover. |
| 3 | Prevent fire extinguishing water from contaminating surface water or the ground water system. |

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

| Ensure adequate ventilation | n. Remove al | l sources c | of ignition. | Take preca | utionary I | measures agai | nst static |
|-----------------------------|--------------|-------------|--------------|------------|------------|---------------|------------|
| discharges. | | | 1 1 | . 1 | 1 | | |
| | | | | | | | |

- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

| Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding. |
|--|
| Adhered or collected material should be promptly disposed of in accordance with appropriate laws |

- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7 Handling and storage

Precautions for handling

| Protective | measures |
|------------------------------|----------|
|------------------------------|----------|

1 Handling is performed in a well ventilated place.

2 Wear suitable protective equipment.

| Version: V2.0.0.1 Revision Date: 2019/11/16 |
|--|
| 3 Avoid contact with skin and eyes. |
| Measures to prevent fire |
| 1 Keep away from heat/sparks/open flames/ hot surfaces. |
| Measures to prevent aerosol and dust generation |
| 1 Not applicable. |
| Advice on general occupational hygiene |
| 1 Wash hands and face after using of the substances. |
| 2 Replace the contaminated clothing immediately. |
| Conditions for safe storage, including any incompatibilities |
| 1 Keep containers tightly closed . |
| 2 Keep containers in a dry, cool and well-ventilated place. |
| 3 Keep away from heat/sparks/open flames/hot surfaces. |
| 4 Store away from incompatible materials and foodstuff containers. |
| Specific end uses |
| 1 In addition to use mentioned in the first parts, unforeseen other specific end uses. |
| |
| 8 Exposure controls/personal protection |
| Control parameters |
| Occupational Exposure limit values |
| Occupational Exposure limit values No information available |

Biological limit values

لفو راه حلي براي Biological limit values No information available

- Monitoring methods
- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard).

Derived No effect level(DNEL)

| Component | Route of | DNEL for Workers | | | | | | |
|--|--------------|-----------------------------|--------------------------------|-------------------------------|----------------------------------|--|--|--|
| | exposur e | Acute effects(local) | Acute effects(systemic) | Chronic effects(local) | Chronic effects(systemic) | | | |
| Polysiloxanes, di-Me,hydroxy-terminate d 70131-67-8 | Inhalation | No data available | No data available | No data available | No data available | | | |
| | Oral | No data available | No data available | No data available | No data available | | | |
| | Dermal | No data available | No data available | No data available | No data available | | | |

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC) No information available

Engineering controls

| 1 | Ensure adequate ventilation, especially in confined areas. |
|---|--|
| 2 | Ensure that eyewash stations and safety showers are close to the workstation location. |
| 3 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| 4 | Set up emergency exit and necessary risk-elimination area. |

Personal protection equipment

General requirement



| Eye protection | Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US). |
|--------------------------|--|
| Hand protection | Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard. |
| | If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges. |
| Skin and body protection | Wear fire/flame resistant/retardant clothing and antistatic boots. |

9 Physical and chemical properties

Physical and chemical properties

| I inysical and chemical p | noper lies |
|--|--|
| Appearance | Clear or lightly yellow solution |
| Odor | Slight odor |
| Odor threshold | No information available |
| рН | No information available |
| Melting point/freezing point(°C) | No information available |
| Initial boiling point and boiling range(°C) | > 190°C (1013 mmHg) |
| Flash point(Closed cup,°C) | > 100°C |
| Evaporation rate | No information available |
| Flammability | No information available |
| Upper/lower explosive limits[%(v/v)] | Upper limit: No information available; Lower limit: No information available |
| Vapor pressure | < 50hPa (20°C) |
| Vapor density(Air = 1) | No information available |
| Relative density(Water=1) | 0.9-1.0 (25°C) |
| Solubility(mg/L) | Partly miscible with water (Polysiloxanes, di-Me, hydroxy-terminated) |
| n-octanol/water partition coefficient | No information available |
| Auto-ignition temperature(°C) | > 280°C |
| Decomposition temperature(°C) | No information available |
| Viscosity(mm ² /s) | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| | |

10 Stability and reactivity

Stability and reactivity

| Reactivity | Contact with incompatible substances can cause decomposition or other chemical reactions. | | | | | |
|------------------------------------|--|--|--|--|--|--|
| Chemical stability | Stable under proper operation and storage conditions. | | | | | |
| Possibility of hazardous reactions | No information available | | | | | |
| Conditions to avoid | ncompatible materials, heat, flame and spark. | | | | | |
| Incompatible materials | No information available | | | | | |
| | Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | | | | |

11 Toxicological information

Acute toxicity

Acute toxicity | No information available

Carcinogenicity

| ID | Cas No. | Component | IARC | NTP |
|----|------------|--|------------|------------|
| 1 | 70131-67-8 | Polysiloxanes, di-Me,hydroxy-terminated | Not Listed | Not Listed |

Others

| Silicone water repellent | | | | | |
|--------------------------------------|--------------------------|--|--|--|--|
| Skin corrosion/irritation | No information available | | | | |
| Serious eye damage/irritation | No information available | | | | |
| Skin sensitization | No information available | | | | |
| Respiratory sensitization | No information available | | | | |
| Reproductive toxicity | No information available | | | | |
| STOT-single exposure | No information available | | | | |
| STOT-repeated exposure | No information available | | | | |
| Aspiration hazard | No information available | | | | |
| Germ cell mutagenicity | No information available | | | | |
| Reproductive toxicity(additional) | No information available | | | | |

12 Ecological information

Acute aquatic toxicity

|--|

Chronic aquatic toxicity

| Chronic aquatic toxicity | No information available |
|--------------------------|--------------------------|
|--------------------------|--------------------------|

Persistence and degradability

Persistence and degradability No information available

Bioaccumulative potential

Bioaccumulative potential No information available

Mobility in soil

Mobility in soil No information available

Results of PBT and vPvB assessment

| Component | Cas No. | Results of PBT and vPvB assessment (according to (EC) No 2015/830) | | | |
|--|------------|---|--|--|--|
| Polysiloxanes, di-Me,hydroxy-terminated | 70131-67-8 | not PBT/vPvB | | | |

13 Disposal considerations

Disposal considerations

| Waste chemicals | Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal. |
|-----------------|--|
| | Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. |
| | Refer to section 13.1and 13.2. |

14 Transport information

Label and Mark

Transporting Label Not applicable

IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

ICAO/IATA-DGR

ICAO/IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

15 Regulatory information

International chemical inventory

| Component | EINECS | TSCA | DSL | IECSC | NZIoC | PICCS | KECI | AICS | ENCS |
|--|--------|--------------|-----|-------|-------|-------|--------------|------|------|
| Polysiloxanes, di-Me,hydroxy-terminated | × | \checkmark | V | ~ | ~ | ~ | \checkmark | √ | × |

[EINECS] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances

- [NZIOC] New Zealand Inventory of Chemicals
- [PICCS] Philippines Inventory of Chemicals and Chemical Substances
- [KECI] Existing and Evaluated Chemical Substances
- [AICS] Australia Inventory of Chemical Substances
- [ENCS] Existing And New Chemical Substances

European chemical inventory

| Component | Α | В | С | D | E | F | G |
|--|---|---|---|--------------|--------------|---|---|
| Polysiloxanes, di-Me,hydroxy-terminated | × | × | × | \checkmark | \checkmark | × | × |

- [A] Candidate list of Substances of Very High Concern for authorization under EU REACh regulation
- [B] Substances requiring authorisation under EU REACh regulation
- [C] Substances restricted under EU REACh
- [D] Pre-registered substances under EU REACh
- [E] Registered substances under EU REACh
- [F] Substance Evaluation CoRAP under EU REACh
- [G] List of priority substances under EU water policy (Directive 2455/2001/EC)

Note

- " $\sqrt{}$ " Indicates that the substance included in the regulations
- "×" That no data or included in the regulations

16 Others

Information on revision

| Creation Date | 2 <mark>01</mark> 9/11/16 |
|----------------------------|---------------------------|
| Revision Date | 2 <mark>01</mark> 9/11/16 |
| Reason for revision | - |

Reference

[1]IPCS:The International Chemical Safety Cards (ICSC) ,website: <u>http://www.ilo.org/dyn/icsc/showcard.home</u>. [2]IARC, website: <u>http://www.iarc.fr/</u>.

[3]OECD: The Global Portal to Information on Chemical Substances, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.

[4]CAMEO Chemicals, website: <u>http://cameochemicals.noaa.gov/search/simple</u>.
[5]NLM:ChemIDplus, website: <u>http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp</u>.
[6]EPA: Integrated Risk Information System, website: <u>http://cfpub.epa.gov/iris/</u>.
[7]U.S. Department of Transportation:ERG, website: <u>http://www.phmsa.dot.gov/hazmat/library/erg</u>.
[8]Germany GESTIS-database on hazard substance, website: <u>http://gestis-en.itrust.de/</u>.

Abbreviations and acronyms

| CAS -Chemical Abstracts Service | CMR - Carcinogens, mutagens or substances toxic to reproduction |
|--|---|
| PC-STEL- Short term exposure limit | PC-TWA - Time Weighted Average |
| DNEL - Derived No Effect Level | IARC - International Agency for Research on Cancer |
| RPE - Respiratory Protective Equipment | PNEC –Predicted No Effect Concentration |

| LC ₅₀ - Lethal Concentration 50% | LD ₅₀ - Lethal Dose 50% | | |
|---|--|--|--|
| NOEC -No Observed Effect Concentration | EC50 - Effective Concentration 50% | | |
| PBT - Persistent, Bioaccumulative, Toxic | POW - Partition coefficient Octanol:Water | | |
| BCF - Bioconcentration factor (BCF) | vPvB - very Persistent, very Bioaccumulative | | |
| IMDG-International Maritime Dangerous Goods | ICAO/IATA- International Civil Aviation Organization/International Air Transportation Association | | |
| UN-The United Nations | ACGIH-American Conference of Governmental Industrial Hygienists | | |
| NFPA-National Fire Protection Association | OECD-Organization for Economic Co-operation and Development | | |

Disclaimer

This Safety Data Sheet (SDS) was prepared according to REACh Regulation The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

